

AquaFit Play 16' Specifications

General	
Shape	Oval
Seating Capacity	N/A
Shell Material	DuraTex™
Dimensions	90¼" x 192" x 52" H/ (229cm X 148cm x 132cm H)
Corner Radii	N/A
Water Capacity	1700 Gallons (6440 Liters)
Dry Weight	2500 lbs (1135 kg)
Full Weight	17100 lbs (7760 kg)
Skirt Material	Terracina or Wood

Water System	
Water Treatment System	UltraPure*
Filters/Coverage	1/75 sq. ft. & 1/135 sq. ft.
Gate Valves	2 per pump + 2 per lower control
Total Hydrotherapy Jets	14
Jet - Mini Rotator	4
Jet - Mini Directional	10
Swim Jets	4 Standard (6 Optional)
Ozone Jet	1*
Heater Return Jet	1*
Pump Returns	5
Diverter Valves	1
Floor Drains	1
Skimmer	1 - 8" Weir

Special Features	
Jet Therapy Pillows	0
Headrest Pillows	1
Optimounts™	12
Tether Mount	2
Bar	1
Swim Jet Air Valves	2
Swim Tether	1
Stereo	Optional

Pump Information	Domestic (60Hz)	Export (50Hz)
Motor Size - Peak (Continuous) HP	5.0 (3.0) HP	3.6 (2.0) HP
Jet Pumps # of Pumps/Speed	1/Dual & 1/Single or 1/Dual & 2/Single Option	1/Dual & 1/Single or 1/Dual & 2/Single Option
Circulation Pump	1 with UltraPure	1 with UltraPure
Electrical System	Domestic (69Hz)	Export (50Hz)
Voltage	240	230
Amperage	50 / 40	1x32 / 3x16 / 2x16
Heater	5.5 kW *	5.2 kW *
Thermostat	Electronic *	Electronic *
Light	18 Points of LED Light**	18 Points of LED Light
Control Sytem	Gecko Alliance *	Gecko Alliance *
Upper Control	M-Drive *	M-Drive *




Note: 1. Subject to change without notice.

2. * For builder's pack models the following equipment is not supplied.

Ozone Jets, water treatment system, heater, thermostat, upper control, control system and pumps.

3. ** Builder's pack light is an incandescent bulb only.

Architectural Specification




AFS MUST BE FULLY SUPPORTED OVER THE ENTIRE BASE.
REFER TO D1 DOC-138 FOR INSTALLATION DETAILS.

1. Engineering specs may differ slightly from brochure.
2. Optional cabinets may add significant weight. Ask your dealer for exact details.
3. Pumps and control panels are not supplied with builder's pack.
4. This is the approximate location to bring power through the bottom of the spa.

Caution:


Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.

Plumbing Configuration



DV1 A = Diverter Valve 1 (A position Clockwise)
 DV1 B = Diverter Valve 1 (B position Counter Clockwise)
 DV1 C = Diverter Valve 1 (Neutral position)
 AV1 = Air Valve 1, control top swim jets (Clockwise minimum flow, Counter Clockwise maximum flow).
 AV2 = Air Valve 2, control bottom swim jets (Clockwise minimum flow, Counter Clockwise maximum flow).
 All Drains in common loop with pump 1, 2 and 3.

Jet Insert Designations



2. * Some equipment shown is not supplied with builder's pack.