


AquaFit Pro 19' Specifications

General		
Shape	Oval	
Seating Capacity	N/A	
Shell Material	DuraTex™	
Dimensions	90¼" x 228" x 62" H/ (229cm X 579cm x 157cm H)	
Corner Radii	N/A	
Water Capacity	2400 Gallons (9085 Liters)	
Dry Weight	3600 lbs (1633 kg)	
Full Weight	23600 lbs (10705 kg)	
Skirt Material	Terracina or Wood	
Water System		
Water Treatment System	UltraPure*	
Filters/Coverage	1/75 sq. ft. & 1/135 sq. ft.	
Gate Valves	2 per Pump + 2 per Lower Control	
Total Hydrotherapy Jets	16	
Jet - Mini Rotator	4	
Jet - Mini Directional	8	
Jet - Mini Directional in Pillow	4	
Swim Jets	4 Standard (6 Optional)	
Ozone Jet	1*	
Heater Return Jet	1*	
Pump Returns	5	
Diverter Valves	1	
Floor Drains	1	
Skimmer	2 - 8" Weir	
Special Features		
Jet Therapy Pillows	1	
Headrest Pillows	0	
Optimounts™	14	
Tether Mount	2	
Swim Bar	1	
Swim Jet Air Valves	2	
Swim Tether	1	
Stereo	Optional	
Pump Information		
	Domestic (60Hz)	Export (50Hz)
Motor Size - Peak (Continuous) HP	5.0 (3.0) HP	3.6 (2.0) HP
Jet Pumps # of Pumps/Speed	1/Dual & 1/Single or 1/Dual & 2/Single Option	1/Dual & 1/Single or 1/Dual & 2/Single Option
Circulation Pump	1 with UltraPure	1 with UltraPure
Electrical System		
	Domestic (69Hz)	Export (50Hz)
Voltage	240	230
Amperage	50 / 40	1x32 / 3x16 / 2x16
Heater	5.5 kW *	5.2 kW *
Thermostat	Electronic *	Electronic *
Light	18 Points of LED Light**	18 Points of LED Light**
Control Sytem	Gecko Alliance *	Gecko Alliance *
Upper Control	M-Drive *	M-Drive *



- Note: 1. Subject to change without notice.
2. * For builder's pack models the following equipment is not supplied.
Ozone Jets, water treatment system, heater,
thermostat, upper control, control system and pumps.
3. ** Builder's pack light is an incandescent bulb only.

Architectural Specification



AFS MUST BE FULLY SUPPORTED OVER THE ENTIRE BASE.
REFER TO D1 DOC-138 FOR INSTALLATION DETAILS.

2. Engineering specs may differ slightly from brochure.
3. Optional cabinets may add significant weight. Ask your dealer for exact details.
4. Pumps and control panels are not supplied with builder's pack.


Caution:

Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.

Legend


- Pump - P
- Electrical - E
- Lower Control Panel - LCP
- Upper Control Panel - UCP

Plumbing Configuration



DV1 A = Diverter Valve 1 (A position Clockwise)
 DV1 B = Diverter Valve 1 (B position Counter Clockwise)
 DV1 C = Diverter Valve 1 (Neutral position)
 AV1 = Air Valve 1, control top swim jets (Clockwise minimum flow, Counter Clockwise maximum flow).
 AV2 = Air Valve 2, control bottom swim jets (Clockwise minimum flow, Counter Clockwise maximum flow).
 All Drains in common loop with pump 1, 2 and 3.

Jet Insert Designations



2. * Some equipment shown is not supplied with builder's pack.